

<<无线通信基础>>

图书基本信息

书名：<<无线通信基础>>

13位ISBN编号：9787115200709

10位ISBN编号：711520070X

出版时间：2009-8

出版时间：人民邮电出版社

作者：（美）维斯瓦纳斯（Viswanath,P），（美）谢（Tse,D）

页数：564

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

前言

The writing of this book was prompted by two main developments in wireless communication in the past decade. First is the huge surge of research activities in physical-layer wireless communication theory. While this has been a subject of study since the sixties, recent developments such as opportunistic and multiple input multiple output (MIMO) communication techniques have brought completely new perspectives on how to communicate over wireless channels. Second is the rapid evolution of wireless systems, particularly cellular networks, which embody communication concepts of increasing sophistication. This evolution started with second-generation digital standards, particularly the IS-95 Code Division Multiple Access standard, continuing to more recent third-generation systems focusing on data applications. This book aims to present modern wireless communication concepts in a coherent and unified manner and to illustrate the concepts in the broader context of the wireless systems on which they have been applied.

<<无线通信基础>>

内容概要

《无线通信基础(英文版)》介绍无线通信的基本原理，着重强调概念及其在系统中的实现之间的相互影响，涉及的主要问题有MIMO通信、空时编码、机会通信、OFDM和CDMA等，这些概念均利用无线系统的大量实例予以说明。

书中还配有大量的习题和图表，可以帮助读者进一步理解材料内容。

《无线通信基础(英文版)》适合作为通信工程和电子信息类相关专业高年级本科生和研究生的教材，也可供工程技术人员参考。

<<无线通信基础>>

作者简介

David Tse, 博士, 是无线通信领域新一代权威, 现任加州大学伯克利分校电气工程与计算机科学系教授, 毕业于麻省理工学院。

Pramod Viswanath, 博士现任伊利诺伊大学厄巴纳-尚佩恩分校电气与计算机工程系副教授, 毕业于加州大学伯克利分校。

书籍目录

1	Introduction	11.1	Book objective	11.2	Wireless systems	21.3	Book outline	52	The wireless channel
102.1	Physical modeling for wireless channels	102.1.1	Free space , fixed transmit and receive antennas	122.1.2	Free space , moving antenna	132.1.3	Reflecting wall , fixed antenna	142.1.4	Reflecting wall , moving antenna
162.1.5	Reflection from a ground plane	172.1.6	Power decay with distance and shadowing	182.1.7	Moving antenna , multiple reflectors	192.2	Input/output model of the wireless channel	202.2.1	The wireless channel as a linear time-varying system
202.2.2	Baseband equivalent model	222.2.3	A discrete-time baseband model	25	Discussion 2.1	Degrees of freedom	282.2.4	Additive white noise	292.3
302.3.1	Time and frequency coherence	302.3.2	Doppler spread and coherence time	312.4	Delay spread and coherence bandwidth	342.4.1	Statistical channel models	342.4.2	Modeling philosophy
362.4.3	Rayleigh and Rician fading	37	Tap gain auto-correlation function	38	Example 2.1	Clarke ' s model	402.5	Bibliographical notes	422.6
423	Exercises	493.1	Point-to-point communication : detection , diversity , and channel uncertainty	503.1.1	Detection in a Rayleigh fading channel	503.1.2	Non-coherent detection	503.1.2	Coherent detection
523.1.3	From BPSK to QPSK : exploiting the degrees of freedom	563.1.4	Diversity	593.2	Time diversity	603.2.1	Repetition coding	603.2.2	Beyond repetition coding
64	Summary 3.1	68	Time diversity code design criterion	68	Example 3.1	Time diversity in GSM	693.3	Antenna diversity	713.3.1
713.3.1	Receive diversity	713.3.2	Transmit diversity : space-time codes	733.3.3	MIMO : a 2×2 example	77	Summary 3.2	2×2 MIMO schemes	823.4
833.4.1	Frequency diversity	833.4.2	Basic concept	833.4.2	Single-carrier with ISI equalization	843.4.3	Direct-sequence spread-spectrum	913.4.4	Orthogonal frequency division multiplexing
95	Summary 3.3	1013.5	Communication over frequency-selective channels	1013.5	Impact of channel uncertainty	1023.5.1	Non-coherent detection for DS spread-spectrum	1033.5.2	Channel estimation
1053.5.3	Other diversity scenarios	107	Chapter 3 The main plot	1093.6	Bibliographical notes	1104	Cellular systems : multiple access and interference management	1204.1	Introduction
1204.2	Narrowband cellular systems	1234.2.1	Narrowband allocations : GSM system	1244.2.2	Impact on network and system design	1264.2.3	Impact on frequency reuse	127	Summary 4.1
1284.3	Narrowband systems	1284.3	Wideband systems : CDMA	1284.3.1	CDMA uplink	1314.3.2	CDMA downlink	1454.3.3	System issues
147	Summary 4.2	1474.4	CDMA	1474.4	Wideband systems : OFDM	1484.4.1	Allocation design principles	1484.4.2	Hopping pattern
1504.4.3	Signal characteristics and receiver design	1524.4.4	Sectorization	153	Example 4.1	Flash-OFDM	153	Chapter 4 The main plot	1544.5
1554.6	Bibliographical notes	1554.6	Exercises	1555	Capacity of wireless channels	1665.1	AWGN channel capacity	1675.1.1	Repetition coding
1675.1.2	Packing spheres	168	Discussion 5.1	170	Capacity-achieving AWGN channel codes	170	Summary 5.1	Reliable rate of communication and capacity	1715.2
1725.2.1	Resources of the AWGN channel	1725.2.1	Continuous-time AWGN channel	1725.2.2	Power and bandwidth	173	Example 5.2	Bandwidth reuse in cellular systems	1755.3
1795.3.1	Linear time-invariant Gaussian channels	1795.3.1	Single input multiple output (SIMO) channel	1795.3.2	Multiple input single output (MISO) channel	1795.3.3	Frequency-selective channel	1815.4	Capacity of fading channels
1865.4.1	Slow fading channel	1875.4.2	Receive diversity	1895.4.3	Transmit diversity	191	Summary 5.2	Transmit and receive diversity	1955.4.4
195	Summary 5.3	195	Summary 5.3	195	Summary 5.3	195	Summary 5.3	195	Summary 5.3
1995.4.5	Outage for parallel channels	1995.4.6	Fast fading channel	1995.4.6	Transmitter side information	203	Example 5.3	Rate adaptation in IS-856	2095.4.7
2135.4.8	Frequency-selective fading channels	2135.4.8	Summary : a shift in point of view	213	Chapter 5 The main plot	2145.5	Bibliographical notes	2175.6	Exercises
2176	Multiuser capacity and opportunistic communication	2286.1	Uplink AWGN channel	2296.1.1	Capacity via successive interference cancellation	2296.1.2	Comparison with conventional CDMA	2326.1.3	Comparison with orthogonal multiple access
2326.1.4	General K -user uplink capacity	2346.2	Downlink AWGN channel	2356.2.1	Symmetric case : two capacity-achieving schemes	2366.2.2	General case : superposition coding achieves capacity	238	Summary 6.1
238	Summary 6.1	238	Uplink and downlink AWGN	238	Summary 6.1	238	Uplink and downlink AWGN	238	Summary 6.1

capacity 240 Discussion 6.1 SIC : implementation issues 2416.3 Uplink fading channel 2436.3.1 Slow fading channel 2436.3.2 Fast fading channel 2456.3.3 Full channel side information 247 Summary 6.2 Uplink fading channel 2506.4 Downlink fading channel 2506.4.1 Channel side information at receiver only 2506.4.2 Full channel side information 2516.5 Frequency-selective fading channels 2526.6 Multiuser diversity 2536.6.1 Multiuser diversity gain 2536.6.2 Multiuser versus classical diversity 2566.7 Multiuser diversity : system aspects 2566.7.1 Fair scheduling and multiuser diversity 2586.7.2 Channel prediction and feedback 2626.7.3 Opportunistic beamforming using dumb antennas 2636.7.4 Multiuser diversity in multicell systems 2706.7.5 A system view 272 Chapter 6 The main plot 2756.8 Bibliographical notes 2776.9 Exercises 2787 MIMO I : spatial multiplexing and channel modeling 2907.1 Multiplexing capability of deterministic MIMO channels 2917.1.1 Capacity via singular value decomposition 2917.1.2 Rank and condition number 2947.2 Physical modeling of MIMO channels 2957.2.1 Line-of-sight SIMO channel 2967.2.2 Line-of-sight MISO channel 2987.2.3 Antenna arrays with only a line-of-sight path 2997.2.4 Geographically separated antennas 3007.2.5 Line-of-sight plus one reflected path 306 Summary 7.1 Multiplexing capability of MIMO channels 3097.3 Modeling of MIMO fading channels 3097.3.1 Basic approach 3097.3.2 MIMO multipath channel 3117.3.3 Angular domain representation of signals 3117.3.4 Angular domain representation of MIMO channels 3157.3.5 Statistical modeling in the angular domain 3177.3.6 Degrees of freedom and diversity 318 Example 7.1 Degrees of freedom in clustered response models 3197.3.7 Dependency on antenna spacing 3237.3.8 I.i.d. Rayleigh fading model 327 Chapter 7 The main plot 3287.4 Bibliographical notes 3297.5 Exercises 3308 MIMO II : capacity and multiplexing architectures 3328.1 The V-BLAST architecture 3338.2 Fast fading MIMO channel 3358.2.1 Capacity with CSI at receiver 3368.2.2 Performance gains 3388.2.3 Full CSI 346 Summary 8.1 Performance gains in a MIMO channel 3488.3 Receiver architectures 3488.3.1 Linear decorrelator 3498.3.2 Successive cancellation 3558.3.3 Linear MMSE receiver 3568.3.4 Information theoretic optimality 362 Discussion 8.1 Connections with CDMA multiuser detection and ISI equalization 3648.4 Slow fading MIMO channel 3668.5 D-BLAST : an outage-optimal architecture 3688.5.1 Suboptimality of V-BLAST 3688.5.2 Coding across transmit antennas : D-BLAST 3718.5.3 Discussion 372 Chapter 8 The main plot 3738.6 Bibliographical notes 3748.7 Exercises 3749 MIMO III : diversity – multiplexing tradeoff and universal space-time codes 3839.1 Diversity – multiplexing tradeoff 3849.1.1 Formulation 3849.1.2 Scalar Rayleigh channel 3869.1.3 Parallel Rayleigh channel 3909.1.4 MISO Rayleigh channel 3919.1.5 2×2 MIMO Rayleigh channel 3929.1.6 $n_t \times n_r$ MIMO i.i.d. Rayleigh channel 3959.2 Universal code design for optimal diversity-multiplexing tradeoff 3989.2.1 QAM is approximately universal for scalar channels 398 Summary 9.1 Approximate universality 4009.2.2 Universal code design for parallel channels 400 Summary 9.2 Universal codes for the parallel channel 4069.2.3 Universal code design for MISO channels 407 Summary 9.3 Universal codes for the MISO channel 4109.2.4 Universal code design for MIMO channels 411 Discussion 9.1 Universal codes in the downlink 415 Chapter 9 The main plot 4159.3 Bibliographical notes 4169.4 Exercises 41710 MIMO IV : multiuser communication 42510.1 Uplink with multiple receive antennas 42610.1.1 Space-division multiple access 42610.1.2 SDMA capacity region 42810.1.3 System implications 431 Summary 10.1 SDMA and orthogonal multiple access 43210.1.4 Slow fading 43310.1.5 Fast fading 43610.1.6 Multiuser diversity revisited 439 Summary 10.2 Opportunistic communication and multiple receive antennas 44210.2 MIMO uplink 44210.2.1 SDMA with multiple transmit antennas 44210.2.2 System implications 44410.2.3 Fast fading 44610.3 Downlink with multiple transmit antennas 44810.3.1 Degrees of freedom in the downlink 44810.3.2 Uplink – downlink duality and transmit beamforming 44910.3.3 Precoding for interference known at transmitter 45410.3.4 Precoding for the downlink 46510.3.5 Fast fading 46810.4 MIMO downlink 47110.5 Multiple antennas in cellular networks : a system view 473 Summary 10.3 System implications of multiple antennas on multiple access 47310.5.1 Inter-cell interference management 47410.5.2 Uplink with multiple receive antennas 47610.5.3 MIMO uplink 47810.5.4 Downlink with multiple receive antennas

47910.5.5 Downlink with multiple transmit antennas 479Example 10.1 SDMA in ArrayComm systems
479Chapter 10 The main plot 48110.6 Bibliographical notes 48210.7 Exercises 483Appendix A
Detection and estimation in additive Gaussian noise 496Appendix B Information theory from first principles
516References 546Index 554

章节摘录

Consider the baseband uplink signal of a user given in (4.1). Due to the abrupt transitions (from +1 to -1 and vice versa) of the pseudonoise sequences $s_{i,j}$, the bandwidth occupied by this signal is very large. On the other hand, the signal has to occupy an allotted bandwidth. As an example, we see that the IS-95 system uses a bandwidth of 1.2288 MHz and a steep fall off after 1.67 MHz. To fit this allotted bandwidth, the signal in (4.1) is passed through a pulse shaping filter and then modulated on to the carrier. Thus though the signal in (4.1) has a perfect PAPR (equal to 1), the resulting transmit signal has a larger PAPR. The overall signal transmitted from the base-station is the superposition of all the user signals and this aggregate signal has PAPR performance similar to that of the narrowband system described in the previous section. In the narrowband system we saw that all users can maintain high SINR due to the nature of the allocations. In fact, this was the benefit gained by paying the price of poor (re)use of the spectrum. In the CDMA system, however, due to the intra and inter-cell interferences, the values of SINR possible are very small. Now consider sectorization with universal frequency reuse among the sectors. Ideally (with full isolation among the sectors), this allows us to increase the system capacity by a factor equal to the number of sectors. However, in practice each sector now has to contend with inter-sector interference as well. Since intra-sector and inter-cell interference dominate the noise faced by the user signals, the additional interference caused due to sectorization does not cause a further degradation in SINR. Thus sectors of the same cell reuse the frequency without much of an impact on the performance. We have observed that timing acquisition (at a chip level accuracy) by a mobile is a computationally intensive step. Thus we would like to have this step repeated as infrequently as possible. On the other hand, to achieve soft handoff this acquisition has to be done (synchronously) for all base-stations with which the mobile communicates. To facilitate this step and the eventual handoff, implementations of the IS-95 system use high precision clocks (about 1 ppm (parts per million)) and further, synchronize the clocks at the base-stations through a proprietary wireline network that connects the base-stations. This networking cost is the price paid in the design to ease the handoff process.

<<无线通信基础>>

媒体关注与评论

“ Tse和viswanath将通信技术的理论发展和实际应用完美结合在本书中。
本书必将成为业界经典教材和权威参考。

” ——Robert G.Gallager教授，麻省理工学院 “ David Tse和Pranlod viswanath为现代无线通信撰写了一部经典著作！

本书覆盖无线系统设计基础以及无线通信领域最新进展，不仅是高校通信专业理想教材，而且是无线工程领域工程技术人员的理想指南！

” ——Roberto Padovani博士，高通公司CTO

<<无线通信基础>>

编辑推荐

《无线通信基础(英文版)》由人民邮电出版社出版。

《无线通信基础(英文版)》是一部杰出的无线通信著作：作者从一个比较高的层次、用系统的观点总结现有通信技术，并用信息论的观点诠释了近年来比较热门的MIMO、OFDM、机会通信、多用户通信等技术，着重强调概念及其在系统中的实现之间的内在联系和相互影响深刻的工程理解、理论远景和系统实践的完美结合，使《无线通信基础(英文版)》不仅成为普林斯顿大学和加州大学伯克利分校等世界众多高校的教材，也被高通等世界级通信公司用于工程师内部培训《无线通信基础(英文版)》是高等院校通信和电气信息相关专业高年级本科生和研究生教材，是无线通信领域工程技术人员必备参考书。

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>