

<<DL/T 5102 - 1999 土工 >>

图书基本信息

书名：<<DL/T 5102 - 1999 土工离心模型试验规程>>

13位ISBN编号：9787508397085

10位ISBN编号：7508397088

出版时间：2009-12

出版时间：中国电力出版社

作者：中华人民共和国国家经济贸易委员会 编

页数：21

字数：19000

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

## 前言

This Standard is compiled according to the arrangement of Notice on Printing the Development and Revision Plan of Professional Standards ( Document No. 28, 1998 ) issued by the former Ministry of Electric Power. Geotechnical centrifugal model test is a new technology. It can visually and correctly reveal the engineering characters of the soils, provide the basis for the design and construction, and verify the service condition of the structures. It is also be used as a method for fundamental research. This technology has been widely applied in many countries. Since 1980s, lots of academic institutes and universities in China have established their own centrifuge modeling laboratories which have provided valuable data for design and construction of many key projects. In addition, important research results have been achieved with respect to fundamental research. Centrifugal model test is complicated in the aspects of equipment, measuring instrument, model preparation, data and video acquisition, etc.. Nevertheless, it is vital to ensure the safety of test and to avoid accidents. It is necessary to develop operation procedure and requirement in order to ensure the reliability of the test data and safety operation of equipment and instrument. So this Standard is formulated.

## 内容概要

This Standard is compiled according to the arrangement of Notice on Printing the Development and Revision Plan of Professional Standards ( Document No. 28 , 1998 ) issued by the former Ministry of Electric Power.

Geotechnical centrifugal model test is a new technology. It can visually and correctly reveal the engineering characters of the soils , provide the basis for the design and construction , and verify the service condition of the structures. It is also be used as a method for fundamental research. This technology has been widely applied in many countries. Since 1980s , lots of academic institutes and universities in China have established their own centrifuge modeling laboratories which have provided valuable data for design and construction of many key projects. In addition , important research results have been achieved with respect to fundamental research. Centrifugal model test is complicated in the aspects of equipment , measuring instrument , model preparation , data and video acquisition , etc.. Nevertheless , it is vital to ensure the safety of test and to avoid accidents. It is necessary to develop operation procedure and requirement in order to ensure the reliability of the test data and safety operation of equipment and instrument. So this Standard is formulated.

书籍目录

Foreword1 Scope2 Normative References3 Terms4 General5 Test Equipment6 Model Preparation7 Test Procedure8 Test Data9 Test RecordAppendix A (Informative) Physical Quantity Conversion.

## 章节摘录

插图：6.0.1 Prior to model preparation, the design data of the prototype shall be analyzed, e.g., boundary condition, material properties and the research purpose, etc.. Based on these analyses, the general outline of test, time duration of each test, and model design documents ( model materials, scaling factor, acceleration, distribution of measuring points, and number of tests ) shall be made. The participants in test shall have certificates. 6.0.2 Generally the physical and mechanical properties of the model materials shall be identical with those of the prototype materials; these properties include density, water content, compressibility and strength, etc.. For coarse-grained soils, model shall be prepared in accordance with the regulations in SL 237 — 1999; if there are difficulties in using the prototype materials, similar materials may be allowed to replace the prototype materials while the replacement shall be justified by test and be in accordance with the requirement of scaling law. The physical and mechanical properties of similar materials shall be identical with or similar to those of the prototype materials.

编辑推荐

《中华人民共和国电力行业标准(DL/T5102 - 1999):土工离心模型试验规程(英文版)》由中国电力出版社出版。

#### 版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>