

<<概型的几何>>

图书基本信息

书名：<<概型的几何>>

13位ISBN编号：9787510004742

10位ISBN编号：7510004748

出版时间：2010-1

出版时间：世界图书出版公司

作者：（美）艾森邦德 著

页数：294

版权说明：本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问：<http://www.tushu007.com>

<<概型的几何>>

内容概要

概型理论是代数几何的基础，在代数几何的经典领域不变理论和曲线模中有了较好的发展。将代数数论和代数几何有机的结合起来，实现了早期数论学者们的愿望。这种结合使得数论中的一些主要猜测得以证明。

本书旨在建立起经典代数几何基本教程和概型理论之间的桥梁。

例子讲解详实，努力挖掘定义背后的深层次东西。

练习加深读者对内容的理解。

学习本书的起点低，了解交换代数和代数变量的基本知识即可。

本书揭示了概型和其他几何观点，如流形理论的联系。

了解这些观点对学习本书是相当有益的，虽然不是必要。

目次：基本定义；例子；射影概型；经典结构；局部结构；概型和函子。

<<概型的几何>>

书籍目录

I Basic Definitions I.1 Affine Schemes I.1.1 Schemes as Sets I.1.2 Schemes as Topological Spaces I.1.3 An Interlude on Sheaf Theory References for the Theory of Sheaves I.1.4 Schemes as Schemes (Structure Sheaves)
 I.2 Schemes in General I.2.1 Subschemes I.2.2 The Local Ring at a Point I.2.3 Morphisms I.2.4 The Gluing Construction Projective Space I.3 Relative Schemes I.3.1 Fibered Products I.3.2 The Category of S-Schemes I.3.3 Global Spec I.4 The Functor of Points II Examples II.1 Reduced Schemes over Algebraically Closed Fields II.1.1 Affine Spaces II.1.2 Local Schemes II.2 Reduced Schemes over Non-Algebraically Closed Fields II.3 Nonreduced Schemes II.3.1 Double Points II.3.2 Multiple Points Degree and Multiplicity II.3.3 Embedded Points Primary Decomposition II.3.4 Flat Families of Schemes Limits Examples Flatness II.3.5 Multiple Lines II.4 Arithmetic Schemes II.4.1 Spec Z II.4.2 Spec of the Ring of Integers in a Number Field II.4.3 Affine Spaces over Spec Z II.4.4 A Conic over Spec Z II.4.5 Double Points in A¹ III Projective Schemes III.1 Attributes of Morphisms III.1.1 Finiteness Conditions III.1.2 Properness and Separation III.2 Proj of a Graded Ring III.2.1 The Construction of Proj S III.2.2 Closed Subschemes of Proj R III.2.3 Global Proj Proj of a Sheaf of Graded \mathcal{O}_X -Algebras The Projectivization $P(\mathcal{F})$ of a Coherent Sheaf III.2.4 Tangent Spaces and Tangent Cones Affine and Projective Tangent Spaces Tangent Cones III.2.5 Morphisms to Projective Space III.2.6 Graded Modules and Sheaves III.2.7 Grassmannians III.2.8 Universal Hypersurfaces III.3 Invariants of Projective Schemes III.3.1 Hilbert Functions and Hilbert Polynomials III.3.2 Flatness II: Families of Projective Schemes III.3.3 Free Resolutions III.3.4 Examples Points in the Plane Examples: Double Lines in General and in \mathbb{P}^3 III.3.5 Bézout's Theorem Multiplicity of Intersections III.3.6 Hilbert Series IV Classical Constructions V Local Constructions VI Schemes and Functors References Index

章节摘录

1.4 The Functor of Points One of the intriguing things about schemes is precisely that they have so much structure that is not conveyed by their underlying sets, so that the familiar operations on sets such as taking direct products require vigilant scrutiny lest they turn out not to make sense. It is therefore remarkable that many of the set-theoretic ideas can be restored through a simple device, the functor of points. This point of view, while initially adding a layer of complication to the subject, is often extremely illuminating; as a result it and its attendant terminology have become pervasive. We will give a brief introduction to the necessary definitions here and use them occasionally in the following chapters before returning to them in detail in Chapter VI. We start with the observation that the points of a scheme do not in general look anything like one another: we have non-closed points as well as closed ones; and if we are working over a non-algebraically closed field, then even closed points may be distinguished by having different residue fields. Similarly, if we are working over \mathbb{Z} , different points may have residue fields of different characteristic; and if we extend the notion of point to "closed subscheme whose underlying topological space is a point," we have an even greater variety. And, of course, a morphism between schemes will not at all be determined by the associated map on underlying point sets. There is, however, a way of looking at a scheme—via its functor of points—that reduces it in effect to a set. More precisely, we may think of a scheme as an organized collection of sets, a functor on the category of schemes, on which the familiar operations on sets behave as usual. In this section we will examine this functorial description. A big payoff is that we will see the category of schemes embedded in a larger category of functors, in which many constructions are much easier. The advantage of this is something like the advantage in analysis of working with distributions, not just ordinary functions; it shifts the problem of making constructions in the category of schemes to the problem of understanding which functors come from schemes. Further, many geometric constructions that arise in the category of schemes can be extended to larger categories of functors in a useful way.

<<概型的几何>>

版权说明

本站所提供下载的PDF图书仅提供预览和简介，请支持正版图书。

更多资源请访问:<http://www.tushu007.com>